

B I B L I O G R A P H Y

A BIBLIOGRAPHY ON THE SEA OTTER

Enhydra lutris

3rd Edition (2023)

Victor L. Camp

ADDENDUM

This can be used in conjunction with the previous edition to save printing out the whole document again.

Anonymous. (1978). Recommendations concerning the sea otter moratorium waivers proposed by the states of Alaska and California. pp.126-128. In: **Duplaix-Hall, N. (ed.).** *Proceedings of the First Working Meeting of the Otter Specialist Group*. Pararibo, Suriname, 27- March, 1977. <https://portals.iucn.org/library/node/6237>

Ballachey, B.E., C.S. Gorbics, and A.M. Doroff. (2001). Sea otter mortality in Orca Inlet, Prince William Sound, Alaska, winter 1995-1996. U.S. Fish and Wildlife Service. *Marine Mammals Management Technical Report*, MMM 01-1. 23 pp. <https://www.fws.gov/program/alaska-marine-mammals-management-office/alaska-sea-otter-program>

Beatty, W.S., M. St. Martin, and R.R. Wilson. (2021). Evaluating the current condition of a threatened marine mammal population: Estimating northern sea otter (*Enhydra lutris kenyoni*) abundance in southwest Alaska. *Marine Mammal Science*, 37(4): 1245-1260. <https://doi.org/10.1111/mms.12807>

Becker, S.L., T.E. Nicholson, K.A. Mayer, M.J. Murray, and K.S. Van Houtan. (2020). Environmental factors may drive the post-release movements of surrogate-reared sea otters. *Frontiers in Marine Science*, 7: 539904. <http://doi.org/10.3389/fmars.2020.539904>

Beichman, A.C., P. Kalhori, C.C. Kyriazis, A.A. DeVries, S. Nigenda-Morales, G. Heckel, Y. Schramm, A. Moreno-Estrada, D.J. Kennett, M. Hylkema, J. Bodkin, K.P. Koepfli, K.E. Lohmueller, and R.K. Wayne. (2023). Genomic analyses reveal range-wide devastation of sea otter populations. *Molecular Ecology*, 32(2): 281-298. <https://doi.org/10.1111/mec.16334>

Boessenecker, R.W. (2018). A Middle Pleistocene Sea Otter from Northern California and the Antiquity of *Enhydra* in the Pacific Basin, *Journal of Mammalian Evolution*, 25: 27-35. <https://doi.org/10.1007/s10914-016-9373-6>

Boustany, A.M., D.A. Hernandez, E.A. Miller, J.A. Fujii, T.E. Nicholson, J.A. Tomoleoni, and K.S. Van Houtan, (2021). Examining the potential conflict between sea otter recovery and dungeness crab fisheries in California. *Biological Conservation*, 253: 108830. <https://doi.org/10.1016/j.biocon.2020.108830>

Bowen, L., S. Knowles, K. Lefebvre, M. St. Martin, M. Murray, K. Kloecker, D. Monson, B. Weitzman, B. Ballachey, H. Coletti, S. Waters, and C. Cummings. (2022). Divergent gene expression profiles in Alaskan sea otters: An indicator of chronic domoic acid exposure? *Oceans*, 3: 401-418. <https://doi.org/10.3390/oceans3030027>

Burek-Huntington, K.A., V.A. Gill, N. Bronson, and P. Tuomi. (2005). A pictorial guide to sea otter anatomy and necropsy findings. USFWS unpublished report. 44pp. <https://www.researchgate.net/publication/349962970>

Burek-Huntington, K.A., V.A. Gill, A.M. Berrian, T. Goldstein, P. Tuomi, B.A. Byrne, K. Worman, and J. Mazet. (2021). Causes of mortality of northern sea otters (*Enhydra lutris kenyoni*) in Alaska from 2002 to 2012. *Frontiers in Marine Science*, Volume 8. <https://doi.org/10.3389/fmars.2021.630582>

- Burn, D.M. (1994).** Boat-based population surveys of sea otters in Prince William Sound. pp. 61-80. In: **Loughlin, T. (ed.).** Marine Mammals and the Exxon Valdez. Academic Press, Inc. ISBN: 978-0124561601
- Burn, D.M., A.M. Doroff, and M.T. Tinker. (2003).** Carrying capacity and pre-decline abundance of sea otters (*Enhydra lutris kenyoni*) in the Aleutian Islands. *Northwestern Naturalist*, **84**(3): 145-148. <https://doi.org/10.2307/3536541>
- Carswell, L.P. (2008).** How do behavior and demography determine the success of carnivore reintroductions: A case study of southern sea otters (*Enhydra lutris nereis*), translocated to San Nicholas Island. M.A. Ecology and Evolutionary Biology, *University of California, Santa Cruz*, 96 pp.
- Carswell, L.P., S.G. Speckman, and V.A. Gill. (2015).** Shellfish fishery conflicts and perceptions of sea otters in California and Alaska, pp. 333-368. Chapter 12 in: **Larson, S.E., J.L. Bodkin, and G.R. VanBlairicom, (eds.).** Sea Otter Conservation, Academic Press, USA. <https://doi.org/10.1016/B978-0-12-801402-8.00012-3>
- Costa, D.P. (1978).** The ecological energetics, water and electrolyte balance of the California sea otter (*Enhydra lutris*). *Thesis, University of California, Santa Cruz*. <https://www.researchgate.net/publication/34139056>
- Daley, H. and O.R. Rodriguez. (2023).** The sea otter harassing surfers off the California coast eludes capture as her fan club grows. *Associated Press*, 3:43 PM EDT, July 20, 2023. <https://apnews.com/article/california-otter-surfers-capture-c5b7558bd3df8ebaf584d75f5b531764>
- Davis, J.A. (1978).** A classification of the otters: A summary of a revision in progress. pp.18-33. In: **Duplaix-Hall, N. (ed.).** *Proceedings of the First Working Meeting of the Otter Specialist Group*. Pararibo, Suriname, 27- March, 1977. <https://portals.iucn.org/library/node/6237>
- Davis, R.W. and A.M. Pagano, (eds.) (2021).** Ethology and behavioral ecology of sea otters and polar bears. *Springer Cham*, 365 pp. ISBN: 978-3-030-66795-5. <https://doi.org/10.1007/978-3-030-66796-2>
- Davis, R.W., J.L. Bodkin, H.A. Coletti, D.H. Monson, S.E. Larson, L.O. Carswell, and L.M. Nicol. (2018).** Future directions on sea otter research and management. *Frontiers in Marine Science: Marine Megafauna*, **5**: <https://doi.org/10.3389/fmars.2018.00510>
- DeGange, A.R. and M.M. Vacca. (1989).** Sea otter mortality at Kodiak Island, Alaska, during summer 1987. *Journal of Mammalogy*, **70**(4): 836-838. <https://doi.org/10.2307/1381723>
- DeGange, A.R., A.M. Doroff, and D.H. Monson. (1994).** Experimental recovery of sea otter carcasses at Kodiak Island, Alaska, following the Exxon Valdez oil spill. *Marine Mammal Science*, **10**: 492-496. <https://doi.org/10.1111/j.1748-7692.1994.tb00509.x>
- Doroff, A., B. Hatfield, A.M. Burdin, L.M. Nichol, K. Hattori, and V.N. Bukanov. (2011).** Status review: Sea otter (*Enhydra lutris*) population status and trend. *IUCN/SSC Otter Specialist Group Bulletin*, **28**(A): 22-30. https://iucnssgbull.org/Volume28A/Doroff_et_al_2011.pdf
- Doroff, A.M. and A.R. DeGange. (1995).** Experiments to determine drift patterns and rates of recovery of sea otter carcasses following the Exxon Valdez oil spill. Exxon Valdez Oil Spill State/Federal Natural Resources Damage Assessment Marine Mammal Study 6-9. *Final Report*. 13 pp. <https://www.arlis.org/docs/vol1/EVOS/NRDA/MM/MM6.pdf>
- Doroff, A.M. and C. Gorbics. (1997).** Sea otter surveys of Yakutat Bay and adjacent Gulf of Alaska coastal areas - Cape Hinchinbrook to Cape Spencer 1995-1996. Final Report to Minerals Management Service. *Interagency Agreement* No. 05059. 23 pp. <https://www.govinfo.gov/app/details/GOV PUB-I-baf0b971d87c30ec05098516abc58275>
- Doroff, A.M. and D. Mulcahy. (1997).** A field guide to general necropsy and tissue collection for sea otters (*Enhydra lutris*) in Alaska. U.S. Fish and Wildlife Service. *Marine Mammals Management Technical Report*, MMM 97-3. 49 pp. (book) <https://www.researchgate.net/publication/285708080>
- Doroff, A.M. and M. Roy. (1999).** Sea Otter Surveys of Izembek Lagoon, Alaska: A Pilot Study. *U.S. Fish and Wildlife Service. Marine Mammals Management*, Anchorage, Alaska. 6 pp.

- Eby, R., S. Rosso, J. Copriviza, R. Scoles, Y. Gideon, J. Mancino, K. Mayer, J. Yee, and K. Wasson. (2022).** Sea otters in a California estuary: Detecting temporal and spatial dynamics with volunteer monitoring. *Ecosphere*, **13**(11): e4300. <https://doi.org/10.1002/ecs2.4300>
- Eisaguirre, J.M., P.J. Williams, X. Lu, M.L. Kissling, W.S. Beatty, G.G. Esslinger, J.N. Womble, and M.B. Hooten. (2021).** Diffusion modeling reveals effects of multiple release sites and human activity on a recolonizing apex predator. *Movement Ecology*, **9**: 1-14. <https://doi.org/10.1186/s40462-021-00270-w>
- Elliot Smith, E. et al. (2021).** Reductions in the dietary niche of southern sea otters (*Enhydra lutris nereis*) from the Holocene to the Anthropocene. [Dataset] Dryad]. <https://doi.org/10.5061/dryad.ttdz08ktj>
- Estes, J.A, A. Burdin, and D.F. Doak. (2016).** Sea otters, kelp forests, and the extinction of Steller's sea cow. *Proceedings of the National Academy of Sciences USA*, **113**(4): 880-885. <https://doi.org/10.1073/pnas.1502552112>
- Estes, J.A., A.M. Johnson, and R.J. Jameson. (1978).** Research on the sea otter in Alaska. pp.120-125. In: Duplaix-Hall, N. (ed.). *Proceedings of the First Working Meeting of the Otter Specialist Group*. Pararibo, Suriname, 27- March, 1977 <https://portals.iucn.org/library/node/6237>
- Estes, J.A., M.T. Tinker, and J.L. Bodkin. (2010).** Using ecological function to develop recovery criteria for depleted species: Sea otters and kelp forests in the Aleutian archipelago. *Conservation Biology*, **24**(3): 852-860. <https://doi.org/10.1111/j.1523-1739.2009.01428.x>
- Fisheries and Oceans Canada. (2023).** Report on the Progress of Management Plan Implementation for the Sea Otter (*Enhydra lutris*) in Canada for the Period 2014 to 2020. *Species at Risk Act Management Plan Report Series*. Fisheries and Oceans Canada, Ottawa. iv + 27 pp. <https://publications.gc.ca/site/eng/9.916019/publication.html>
- Fomin, S.V. (2021).** The first confirmation of killer whale (*Orcinus orca*) predation on sea otter (*Enhydra lutris*) in the Commander Islands, Russia. Poster. <https://www.researchgate.net/publication/350579944>
- Foster, E. et al. (2021).** Physical disturbance by recovering sea otter populations increases eelgrass genetic diversity. *Science*, **374**: 333-336. <https://doi.org/10.1126/science.abf2343>
- Gallo Reynoso, J.P. and Rateibun, G.B. (1997).** Status of sea otters (*Enhydra lutris*) in Mexico. *Marine Mammal Science*, **13**(2): 332-340. <https://doi.org/10.1111/j.1748-7692.1997.tb00639.x>
- Garshelis, D.L. and D.B. Siniff. (1983).** Evaluation of radio-transmitter attachments for sea otters. *Wildlife Society Bulletin*, **11**: 378-383. <https://www.jstor.org/stable/3781677>
- Gill, V.A. and D. Burn. (2007).** Aerial Surveys of Sea Otters *Enhydra lutris* in Yakutat Bay, Alaska 2005. U.S. Fish and Wildlife Service, *Marine Mammals Management Technical Report*: MMM 2007-01. 18 pp. <https://www.govinfo.gov/content/pkg/GOV PUB-I49-PURL-gpo88361/pdf/GOV PUB-I49-PURL-gpo88361.pdf>
- Gill, V.A., A.M. Doroff, and D. Burn. (2009).** Aerial surveys of sea otters (*Enhydra lutris*) in Kachemak, Alaska 2008. *U.S. Fish and Wildlife Service Report for Army Corps of Engineers*, MIPR # WC1JUW80880784. 21pp. <https://www.govinfo.gov/content/pkg/GOV PUB-I49-PURL-gpo88361/pdf/GOV PUB-I49-PURL-gpo88361.pdf>
- Hale, J.R. (2022).** Foraging ecology and population dynamics of northern sea otters (*Enhydra lutris kenyoni*) in Washington state. PhD. University of Washington. <http://dx.doi.org/10.6069/81E4-2Q72>
- Hale, J.R., K. L. Laidre, M.T. Tinker, R. J. Jameson, S. J. Jeffries, S. E. Larson, and J. L. Bodkin (2019).** Influence of occupation history and habitat on Washington sea otter diet. *Marine Mammal Science*. **35**(4): 1369-1395. <https://doi.org/10.1111/mms.12598>
- Hale, J.R., K. L. Laidre, S. J. Jeffries, J. J. Scordino, D. Lynch, R. J. Jameson, and M.T. Tinker. (2022).** Status, trends, and equilibrium abundance estimates of the translocated sea otter population in Washington State. *Journal of Wildlife Management*, **86**: e22215. <https://doi.org/10.1002/jwmg.22215>
- Hanni, K. (2003).** Survival of juvenile rehabilitated and free ranging southern sea otters (*Enhydra lutris nereis*). PhD, *University of California, Davis*.

- Hanni, K.D., J.K. Mazet, F.M.D. Gulland, J. Estes, M. Staedler, M.J. Murray, and D. Jessup. (2021).** Hematologic and Serum Biochemical Reference Ranges and a Serologic Survey in Southern (*Enhydra lutris nereis*) and Northern (*Enhydra lutris kenyoni*) Sea Otters. *American Association of Zoo Veterinarians Conference 2000*. <https://www.vin.com/doc/?id=9992687>
- Harris, K.A., L.M. Nichol, and P.S. Ross (2011).** Hydrocarbon concentrations and patterns in free-ranging sea otters (*Enhydra lutris*) from British Columbia, Canada. *Environmental Toxicology and Chemistry*, **30**(10): 2184-2193. <http://dx.doi.org/10.1002/etc.627>
- Harwell, M.A., and J.H. Gentile (2014).** Assessing risks to sea otters and the Exxon Valdez oil spill: New scenarios, attributable risk, and recovery. *Human and Ecological Risk Assessment*, **20**(4): 889-916. <https://doi.org/10.1080/10807039.2013.828513>
- Hasan, E. L. (2022).** Sea otters (*Enhydra lutris kenyoni*) in a data-limited ecosystem. *Thesis, University of Alaska. Fairbanks, Alaska.* <http://hdl.handle.net/11122/13121>
- Hatfield, B.B., and G.B. Rathbun. (1996).** Evaluation of a flipper-mounted transmitter on sea otters. *Wildlife Society Bulletin*, **24**(3): 551–554. <https://www.jstor.org/stable/3783343>
<https://ecos.fws.gov/ServCat/DownloadFile/106595?Reference=66806>
<https://www.adfg.alaska.gov/static/home/library/pdfs/wildlife/propubs/04>
- Imal, D.M., S.S. Jang, M.A. Miller, J.E. Foley, and P.A. Conrad. (2005).** Characterization of *Streptococcus phocae* and *Streptococcus dysgalactiae* Sp. isolated from southern sea otters (*Enhydra lutris nereis*). *International Association for Aquatic Animal Medicine Conference*. <https://www.vin.com/doc/?id=3981103>
- Ismail, M., I. Fedutin, T. Ivkovich, and O. Filatova. (2023).** Occurrence of killer whales (*Orcinus orca*) off the Commander Islands and Avacha Gulf from 2008-2021 and its relation to the sea otter (*Enhydra lutris*) population decline. *Russian Journal of Theriology*, **22**(1): 74-83. <https://www.researchgate.net/publication/370546072>
- Jang, S.S., P.L Shewmaker, W.A. Miller, B. Byrne, K.A. Burek, and M.A. Miller. (2005).** Conventional and molecular identification of *Streptococcus infantarius* subspecies *coli* isolated from valvular endocarditis and sepsis in stranded northern and southern sea otters. *International Association for Aquatic Animal Medicine Conference*. <https://www.vin.com/apputil/content/defaultadv1.aspx?id=3981104&pid=11195&>
- Kieckhefer, T.R., J. Cassidy, J. Hoffman, S.L. Reif, and D. Maldidi. (1984).** Rise and Fall of Southern Sea Otters (*Enhydra lutris nereis*) in Elkhorn Slough, California, 1994-2003. <http://dx.doi.org/10.13140/2.1.4784.2084>
- Kim, C. (2022).** Sea otter (*Enhydra lutris*)-Dimensions. *Dimensions.com*. <https://www.dimensions.com/element/sea-otter-enhydra-lutris>
- Knowles, S., D. Lynch, and N.J. Thomas. (2020).** Leptospirosis in Northern Sea Otters (*Enhydra lutris kenyoni*) from Washington, USA. *Journal of Wildlife Diseases*, **56**(2): 466-471. <https://doi.org/10.7589/2019-05-112>
- Kobilinsky, D. (2012).** Monterey Bay sea otters maintain kelp supply. *The Wildlife Society News*. <https://wildlife.org/monterey-bay-sea-otters-maintain-kelp-supply/>
- Kobilinsky, D. (2023).** Wolves prey on sea otters, seals in Katmai. *The Wildlife Society News*. <https://wildlife.org/wolves-prey-on-sea-otters-seals-in-katmai/>
- Kochnev, A. and D.I. Litovka. (2010).** Sea otter (*Enhydra lutris L.*) at Chukotka. *Marine Mammals of the Holarctic: Collection of Scientific Papers after the Sixth International Conference, October 11–15, Kalinigrad, Russia*. **6**: 278-280. <https://www.researchgate.net/publication/317174779>
- Konrad, L., J.A. Fujii, S. Hazan, K.A. Mayer, M.J. Murray, T.E. Nicholson, M.M. Staedler, and C. Young. (2022).** Southern sea otter rehabilitation lessons and impacts from Monterey Bay Aquarium. *Journal of Zoological and Botanical Gardens*, **3**(4): 641-651. <http://dx.doi.org/10.3390/jzbg3040047>
- Kretschmer, E.J., J.B. Olsen, and J.K. Wenburg. (2009).** Characterization of eight microsatellite loci in Sea Otter (*Enhydra lutris*) and cross-species amplification in other Mustelidae. *Conservation Genetics*, **10**: 775-777 <https://doi.org/10.1007/s10592-008-9660-8>
- Laidre, K.L., J.A. Estes, M.T. Tinker, J. Bodkin, D. Monson, and K.J. Schneider. (2006).** Patterns of growth and body condition in sea otters from the Aleutian archipelago before and after the recent population decline. *Journal of Animal Ecology*, **75**(4): 978-89. <https://doi.org/10.1111/j.1365-2656.2006.01117.x>

- Langenwalter II, P.E., M.A. Boxt, L.M. Boxt, and T.T. Miller. (2001).** A sea otter (*Enhydra lutis*) femur with embedded projectile point fragment from late prehistoric camp site in Long Beach, California *Pacific Coast Archaeological Society Quarterly*, **37**(1): 51-59. <https://pcas.org/vol37N1/Langenwalter.pdf>
- LaRoche, N.L., S.L. King, E.A. Fergusson, G.L. Eckert, and H.C. Pearson. (2023).** Macronutrient composition of sea otter diet with respect to recolonization, life history, and season in southern Southeast Alaska. *Ecology and Evolution*, **13**(5): 1-13. <https://doi.org/10.1002/ece3.10042>
- Larson, S., C.J. Casson, and S. Wasser. (2003).** Noninvasive reproductive steroid hormone estimates from fecal samples of captive female sea otters (*Enhydra lutris*). *General and Comparative Endocrinology*, **134**(1): 18-25. [https://doi.org/10.1016/S0016-6480\(03\)00239-9](https://doi.org/10.1016/S0016-6480(03)00239-9)
- Law, C.J., C. Young, and R.S. Mehta. (2016).** Ontogenetic scaling of theoretical bite force in southern sea otters (*Enhydra lutris nereis*). *Physiological and Biochemical Zoology*, **89**(5): 347–363. <http://dx.doi.org/10.1086/688313>
- Law, C.J., V.B. Baliga, M.T. Tinker, and R.S. Mehta (2017).** Asynchrony in craniomandibular development and growth in (*Enhydra lutris nereis*) (Carnivora: Mustelidae): Are southern sea otters born to bite? *Biological Journal of the Linnean Society*, **121**(2): 420–438 <https://doi.org/10.1093/biolinnean/blw050>
- Leach, C.B., B.P. Weitzman, J.L. Bodkin, D. Esler, G.G. Esslinger, K.A. Kloecker, D.H. Monson, J.N. Womble, and M.B. Hooten. (2023).** Revealing the extent of sea otter impacts on bivalve prey through multi-trophic monitoring and mechanistic models. *Journal of Animal Ecology*, **92**(6): 1230-1243. <https://doi.org/10.1111/1365-2656.13929>
- Leach, C.B., P.J. Williams, J.M. Eisaguirre, J.N. Womble, M.R. Bower, and M.B. Hooten. (2022).** Recursive Bayesian computation facilitates adaptive optimal design in ecological studies. *Ecology*, **103**(2): e03573. <https://doi.org/10.1002/ecy.3573>
- Loomis, J. (2006).** Estimating recreation and existence values of sea otter expansion in California using benefit transfer. *Coastal Management*, **37**: 428-439. <https://doi.org/10.1080/08920750600860282>
- Mayer, K.A., Tinker, M.T., Nicholson, T.E., Murray, M.J., Johnson, A.B., Staedler, M.M., Fujii, J.A., Van Houtan, K.S. (2021).** Surrogate rearing a keystone species to enhance population and ecosystem restoration. *Oryx*, **55**(4): 535-545. <http://dx.doi.org/10.1017/S0030605319000346>
- Miller, E.H., T.S. Jung, P.M. Kukka, J.J. Reynolds, R.A. Grove, G.B. Stenson, and R.P.W. Rogers. (2023).** Growth, allometry, and characteristics of a sexually selected structure in wolverine (*Gulo gulo* (Linnaeus, 1758)), northern river otter (*Lontra canadensis*, Linnaeus, 1758), and sea otter (*Enhydra lutris*, Linnaeus, 1758). *Canadian Journal of Zoology*, **101**(10): 824-847. <https://doi.org/10.1139/cjz-2022-0202>
- Miller. E.M., C.A. Newberry, D.M. Sinnott, F.I. Batac, K. Greenwald, A. Reed, C. Young, and M.D. Harris, A.E. Packham, K. Shapiro. (2023).** Newly detected virulent *Toxoplasma gondii* COUG strain causing fatal steatitis in southern sea otters (*Enhydra lutris nereis*). *Frontiers in Marine Science*, **10**:1116899. <https://doi.org/10.3389/fmars.2023.1116899>
- Moxley, J.H., T.E. Nicholson, K.S. Van Houtan, and SJ. Jorgensen (2019).** Non-trophic impacts from white sharks complicate population recovery for sea otters. *Ecology and Evolution*, **9**(11): 6378-6388. <https://doi.org/10.1002/ece3.5209>
- Nichol, L.M., J.C. Watson, R. Abernethy, E. Foster and J.R. Towers. (2015).** Trends in the abundance and distribution of sea otters (*Enhydra lutris*) in British Columbia updated with 2013 results. *Fisheries and Oceans Canada: Canadian Science Advisory Secretariat, Research Documents 2015/039*. <http://dx.doi.org/10.13140/RG.2.1.2515.2886>
- Nicholson, T.E., K.A. Mayer, S.H. Hazan, M.J. Murray, K.S. VanHoutan, C.M. DeAngelo, A.B. Johnson, and J.A. Fujii. (2023).** Advancing surrogate-rearing methods to enhance southern sea otter recovery. *Biological Conservation*, **281**: 109662 <https://doi.org/10.1016/j.biocon.2023.109962>
- Olsen, A.Y., A. Smith, C. Hempstead, and SE. Larson. (2023).** Analytical validation and assessment of baseline fecal glucocorticoid metabolites in Northern Sea Otters (*Enhydra lutris kenyoni*) in human care. *Animals (Basel)*, **13**(13): 2175. <https://doi.org/10.3390/ani13132175>

- Pace, C., C.E.C. Goertz, K. Woodie, J. Belovarac, N. Rouse, T. Abraham, P. Tuomi, and M.M. Garner. (2023).** Histologic analysis of testicular development and sexual maturation in rehabilitated northern sea otters (*Enhydra lutris kenyoni*). *Journal of Zoo and Wildlife Medicine*, **54**(2): 367-373. <https://doi.org/10.1638/2022-0129>
- Pearson, H.C. and R.W. Davis. (2005).** Behavior of territorial male sea otters (*Enhydra lutris*) in Prince William Sound, Alaska. *Aquatic Mammals*, **31**(2): 226-233. <http://dx.doi.org/10.1578/AM.31.2.2005.226>
- Popov, I. and A. Scopin. (2021).** The historical and contemporary status of the sea otter (*Enhydra lutris*) population on Urup Island, southern Kuril Islands. *Oryx*, **55**(4): 529-534. <https://doi.org/10.1017/S0030605320000812>
- Pulver, D.V. (2023).** Parasite may be to blame for deaths of California sea otters. *USA Today*, Mon 03/27/2023. <https://www.pressreader.com/usa/usa-today-us-edition/20230327/281560885047390>
- Ralls, D.B., D.B. Siniiff, A. Doroff, and A. Mercure. (1992).** Movements of sea otters relocated along the California coast. *Marine Mammals Science*, **8**(20), 178-184. <https://doi.org/10.1111/j.1748-7692.1992.tb00380.x>
- Rathbun, G.B., B.B. Hatfield, and T.G. Murphrey. (2000).** Status of translocated sea otters at San Nicolas Island, California. *The Southwest Naturalist*, **45**: 322-328. <https://doi.org/10.2307/3672835>
- Raum-Suryan, K., K. Pitcher, and R. Lamy. (2004).** Sea otter (*Enhydra lutris*) sightings off Haida Gwaii/Queen Charlotte Islands, British Columbia: 1971-202. *Canadian Field Naturalist*, **118**(2): 270-272.
- Raymond, W.W., T.M. Tinker, M.L. Kissling, B. Benter, V.A. Gill, and G.L. Eckert. (2019).** Location-specific factors influence patterns and effects of subsistence sea otter harvest in Southeast Alaska. *Ecosphere*, **10**(9): e02874 <https://doi.org/10.1002/ecs2.2874>
- Reisewitz, S. E., J.A. Estes, and C.A. Simenstad. (2006).** Indirect food web interactions: Sea otters and kelp forest fishes in the Aleutian archipelago. *Oecologia*, **146**(4): 623-631. <https://doi.org/10.1007/s00442-005-0230-1>
- Ryazanov, S.D., S.V. Fomin, and V.V. Kalinchuk. (2023).** Mercury content in the fur of sea otters (*Enhydra lutris*) from the Commander Islands. *Marine Pollution Bulletin*, **188**:114638. <https://doi.org/10.1016/j.marpolbul.2023.114638>
- Ryazanov, S.D., S.V. Fomin, and V.V. Kalinchuk. (2023).** Mercury content in the fur of sea otters (*Enhydra lutris*) from the Commander Islands. *Marine Pollution Bulletin*, **188**:114638. <https://doi.org/10.1016/j.marpolbul.2023.114638>
- Schramm, Y., G. Heckel, A. Saenz-Arroyo, E. Lopez-Reyes, A. Baez-Flores, G. Gomez-Hernandez, A. Lazo-de-Is-Vega-Trinker, D. Lubinsky-Jinich, and María de los Ángeles Milanés-Salinas. (2014).** New evidence for the existence of southern sea otters (*Enhydra lutris nereis*) in Baja California, Mexico. *Marine Mammal Science*, **30**(3): 1264-1271. <https://doi.org/10.1111/mms.12104>
- Schuette, P. J. Eisaguirre, B. Weitzman, C. Power, E. Wetherington, J. Cate, J. Womble, L. Pearson, D. Melody, C. Merriman, K. Hanks, and G. Esslinger. (2023).** Northern sea otter (*Enhydra lutris kenyoni*) population abundance and distribution across the southeast Alaska stock summer 2022. U.S. Fish & Wildlife Service. *Marine Mammals Management Technical Report*, MMM 2023-01. 41pp. <https://www.usgs.gov/publications/northern-sea-otter-enhydra-lutris-kenyoni-population-abundance-and-distribution-across>
- Shanebeck, K., J. Lakemeyer, U. Siebert, and K. Lehnert. (2020).** Habitat selection and populations of *Corynosoma* (Acanthocephala) in the intestines of sea otters (*Enhydra lutris*) and seals. *Journal of Helminthology*, **94**, E211. <http://dx.doi.org/10.1017/S0022149X20000747>
- Shapiro, K., M. Miller, A. Packham, B. Aguilar, P. Conrad, E. Vanwormer, and M. Murray. (2016).** Dual congenital transmission of *Toxoplasma gondii* and *Sarcocystis neurona* in a late-term aborted pup from a chronically infected southern sea otter (*Enhydra lutris nereis*). *Parasitology*, **143**(3): 276-288. <https://doi.org/10.1017/S0031182015001377>
- Shockling Dent, C.E., M.A. Miller, F. Batac, E. Dodd, W. Smith, R. Pesapane, and J. Foley. (2019).** Pathology and epidemiology of nasopulmonary acariasis (*Halarachne* sp.) in southern sea

- otters (*Enhydra lutris nereis*). *International Journal of Parasitology*, **9**: 60-67. <https://doi.org/10.1016/j.ijppaw.2019.03.009>
- Singh, G.G., R.W. Markel, R.G. Martone, A.K. Salomon, C.D. Harley, and K.M. Chan (2013).** Sea otters homogenize mussel beds and reduce habitat provisioning in a rocky intertidal ecosystem. *PLoS One*, **8**(5): e65435. <https://doi.org/10.1371/journal.pone.0065435>
- Slade, E., I. McKechnie, and A.K. Salomon. (2022).** Archaeological and contemporary evidence indicates low sea otter prevalence on the pacific northwest coast during the late Holocene. *Ecosystems*, **25**(3): 548-566. <https://doi.org/10.1007/s10021-021-00671-3>
- Smith, E.A., S.D. Newsome, J.A. Estes, and M.T. Tinker. (2015).** The cost of reproduction: Differential resource specialization in female and male California sea otters. *Oecologia*, **178**(1): 17-29. <https://doi.org/10.1007/s00442-014-3206-1>
- Southeast Sea Otter Stakeholder Meeting. (2020).** Final Report of the 2019 Southeast Sea Otter Stakeholder Working Group Meeting. November 6, 2019. Juneau Alaska. U.S. Fish & Wildlife Service. *Technical Report: MMM 2020-01*. <https://www.fws.gov/media/southeast-sea-otter-stakeholder-report-2020>
- Stephens, T. (2021).** Sea otters maintain remnants of healthy kelp forest amid sea urchin barrens. *News Center*, University of Californian Santa Cruz. <https://phys.org/news/2021-03-sea-otters-remnants-healthy-kelp.html>
- Stewart, N., B. Konar, and A. Dornof. (2014).** Sea otter (*Enhydra lutris*) foraging habitat use in a heterogeneous environment in Kachemak Bay off Alaska. *Bulletin of Marine Science*, **90**(4): 921-939. <https://doi.org/10.5343/bms.2014.1002>
- Stewart, N.L., B. Konar, and M.T. Tinker. (2015).** Testing the nutritional-limitation, predator-avoidance, and storm-avoidance hypotheses for restricted sea otter habitat use in the Aleutian Islands, Alaska. *Oecologia*, **177**(3): 645-655. <https://doi.org/10.1007/s00442-014-3149-6>
- Strobel, S.M., M.A. Miller, M.J. Murray, and C. Reichmuth. (2022).** Anatomy of the sense of touch in sea otters: Cutaneous mechanoreceptors and structural features of glabrous skin. *The Anatomical Record (Hoboken)*, **305**(3): 535-555. <https://doi.org/10.1002/ar.24739>
- Timm-Davis, L. and C.D. Marshall. (2021).** Taxonomy and Evolution of Sea Otters. In: **Davis, R.W., Pagano, A.M. (eds)** Ethology and Behavioral Ecology of Sea Otters and Polar Bears. *Ethology and Behavioral Ecology of Marine Mammals*. Springer, Cham. https://doi.org/10.1007/978-3-030-66796-2_2
- Tinker, M.T. and J.A. Estes. (1996).** The population ecology of sea otters at Adak Island, Alaska. Final Report to the Navy, Contract # N68711-94-LT-4026, U.C. Santa Cruz, CA.
- Tinker, M.T., J.L. Bodkin, L. Bowen, B. Ballachey, G. Bentall, A. Burdin, H. Coletti, G. Esslinger, B.B. Hatfield, M.C. Kenner, K. Kloecker, B. Konar, A.K. Miles, D.H. Monson, M.J. Murray, B.P. Weitzman, and J.A. Estes. (2021).** Sea otter population collapse in southwest Alaska: Assessing ecological covariates, consequences, and causal factors. *Ecological Monographs*, **91**(4): e01472. <https://doi.org/10.1002/ecm.1472>
- Tinker, M.T., P. Schuette, B. Weitzman, J. Eisaguirre, and W. Beatty. (2023).** The combined impact of killer whale consumptive and non-consumptive effects on northern sea otter population viability in the Western Aleutians Archipelago, Alaska. *bioRxiv*. <https://www.biorxiv.org/content/10.1101/2023.01.30.526353v1>
- Tinker, M.T., S.M. Espinosa, M.M. Staedler, J.A. Tomoleoni, J.A. Fujii, R. Eby, R. Scoles, M.C. Kenner, B.B. Hatfield, C. Fuentes, T.E. Lindsay, M. Murray, M.A. Young, K.A. Mayer, E. Dodd, S. Fork, and K. Wasson. (2018).** The population status and ecology of sea otters in Elkhorn Slough, California. In: Final Report for California Coastal Conservancy and U.S. Fish and Wildlife Service, 109 p.
- U.S. Fish and Wildlife Service (1994).** Conservation plan for the sea otter in Alaska. *Marine Mammals Management*, Anchorage, Alaska. 44 pp.
- U.S. Fish and Wildlife Service (2001) a.** Standard methods to assess over winter mortality trends in sea otter populations in Alaska. *Marine Mammals Management*, Anchorage, Alaska. 7 pp.
- U.S. Fish and Wildlife Service (2001) b.** Population trend surveys as an index to abundance and distribution of sea otters: A standard protocol in Alaska. *Marine Mammals Management*, Anchorage, Alaska. 10 pp.

- U.S. Fish and Wildlife Service (2018).** Aerial surveys of sea otters (*Enhydra lutris*) in Lower Cook Inlet, Alaska. May 2017 <https://doi.org/10.5066/P9Q4DA3T>
- U.S. Fish and Wildlife Service (2022).** Feasibility assessment: Sea otter reintroduction to the Pacific coast. In: *Report to Congress Prepared by the U.S. Fish and Wildlife Service. Sacramento, California.* <https://www.fws.gov/media/feasibility-assessment-sea-otter-reintroduction-pacific-coast>
- U.S. Fish and Wildlife Service (2023).** U.S. Fish and Wildlife Service announces southern sea otters will retain Endangered Species Act protections. Press Release, US Fish & Wildlife Service. <https://www.fws.gov/press-release/2023-09/us-fish-and-wildlife-service-announces-southern-sea-otters-will-retain>
- VanBlaricom, G.R., A.K. Fukuyama, CE. O'Clair, D.H. Monson, S.C. Jewett, T.K. Gage, T.A. Dean, and J.L. Bodkin. (2002).** Sea otter (*Enhydra lutris*) perspective: Part C. Trophic linkages among sea otters and bivalve prey in Prince William Sound, Alaska, in the aftermath of the *Exxon Valdez* oil spill: Implications for community models in sedimentary habitats. <https://www.usgs.gov/publications/sea-otter-enhydra-lutris-perspective-part-c-trophic-linkages-among-sea-otters-and>
- Verma, S.K., Knowles, S., Cerqueira-Cézar, C.K., Kwok, O.C., Jiang, T., Su, C., and Dubey, J.T. (2018).** An update on *Toxoplasma gondii* infections in northern sea otters (*Enhydra lutris kenyoni*) from Washington State, USA. *Veterinary Parasitology*, **258**: 133-137. <https://doi.org/10.1016/j.vetpar.2018.05.011>
- von Biela, V.R. and V.A. Gill. (2007).** Analysis of the sea otter (*Enhydra lutris*) reproductive tract: A methods manual. U.S. Fish and Wildlife Service, Marine Mammals Management Technical Report, MMM 2007-02. 24pp. <https://corpora.tika.apache.org/base/docs/govdocs1/070/070065.pdf>
- von Biela, V.R., V.A. Gill, J.L. Bodkin, and J.M. Burns. (2009).** Phenotypic plasticity in the age at first reproduction in northern sea otters (*Enhydra lutris kenyoni*). *Journal of Mammalogy*, **90**(5): 1224-1231. <https://www.researchgate.net/publication/262799938>
- Watson, J.C. (1993).** The effects of sea otter (*Enhydra lutris*) foraging on shallow rocky communities off northwestern Vancouver Island, British Columbia. *Thesis, University of California, Santa Cruz.* <https://ecoreserves.bc.ca/2016/08/03/seaoottereffectsvancouverisland/>
- Wellman, H.P. (2022).** Fur or food? Native American use of sea otters (*Enhydra lutris*) on the Oregon coast prior to European contact and extirpation. *Journal of Archaeological Science: Reports*, **43**: 103485. <https://doi.org/10.1016/j.jasrep.2022.103485>
- White, C.L., K.L. Schuler, N.J. Thomas, J.L. Webb, J.T. Saliki, H.S. Ip, J.P. Dubey, and E.R. Frame. (2013).** Pathogen exposure and blood chemistry in the Washington, USA population of northern sea otters (*Enhydra lutris kenyoni*). *Journal of Wildlife Diseases*, **49**(4): 887-99. <https://doi.org/10.7589/2013-03-053>
- Wilson, R.R., M. St. Martin, and W.S. Beatty. (2021).** A hierarchical distance sampling model to estimate spatially explicit sea otter density. *Ecosphere*, **12**(9): eo3666. <https://doi.org/10.1002/ecs2.3666>
- Zasyplkin, M., and Burdin, A.M. (1997).** Allozyme variability of the sea otter (*Enhydra lutris* L., 1758). 1. Description and genetic interpretation of markers. *Genetika (Russian Journal of Genetics)*, **33**(9): 1250-1257
- Zasyplkin, M., and Burdin, A.M. (1997).** Allozyme variability of the sea otter (*Enhydra lutris* L., 1758). 1. 2. Intraspecific genetic heterogeneity. *Genetika (Russian Journal of Genetics)*, **33**(9): 1258-1265